

# DGD1308



## TRIBRID 8CH HD CCTV DVR

### FEATURES

#### Free P2P Cloud EaZy Networking\*

- ❖ Cloud EaZy Networking available to connect this device to Internet automatically in three steps with our free mobile app, EagleEyes.
- ❖ The "Buddy" feature to share the device access permission to other people.
- ❖ Device login / out notifications reported.



#### Video Backup


- ❖ Regular backup could be configured to automatically copy video footages to the specified location (USB drive or FTP) at the specified time.

#### Remote Surveillance

- ❖ Fully compatible with iOS and Android devices, and Internet Explorer on Windows operating system
- ❖ CMS Lite for 24 devices central management
- ❖ Applicable also to Apple's media player, QuickTime.

#### Tribrid Video Input

- ❖ Supports Analog HD / TVI / 960H video input.
- ❖ Up to 1080P recording




#### Push Status -

#### Active Event Notification with EagleEyes App

- ❖ Push Status to send instant notifications for system events, such as video loss or HDD data removal.



### REAR PANEL



\* EaZy Networking is a free P2P cloud service to connect AVTECH devices to the Internet automatically by plug-and-play, enabling you to check the live view via your mobile device or laptop at anytime (in 64 kbps).

## ► SPECIFICATIONS

| ▼ Video                        |      |                                                           |
|--------------------------------|------|-----------------------------------------------------------|
| Video System                   |      | NTSC / PAL (auto detection)                               |
| Video Compression Format       |      | H.264                                                     |
| Video Signal                   |      | Analog HD / TVI / 960H                                    |
| Video Input                    |      | 8 channels (Composite video signal 1 Vp-p 75Ω BNC)        |
| Video Output                   | BNC  | YES                                                       |
|                                | VGA  | YES                                                       |
|                                | HDMI | YES                                                       |
| Video Resolution               |      | 1080P / 720P / QHD / 960H / Frame / Field / CIF           |
| ▼ Record & Backup              |      |                                                           |
| Max. Recording Rate            |      | Up to 120 IPS @ 1920 x 1080<br>Up to 240 IPS @ 1280 x 720 |
| Recording Mode                 |      | Manual / Timer / Motion / Alarm / Remote                  |
| Pre-alarm Recording            |      | YES                                                       |
| Playback Channel               |      | 8CH                                                       |
| Quick Search                   |      | Time / Motion / Alarm search mode                         |
| Backup Device                  |      | USB 2.0 drive / Network                                   |
| Regular Backup                 |      | YES                                                       |
| ▼ Audio                        |      |                                                           |
| Audio Input                    |      | 1 audio input                                             |
| Audio Output                   |      | 1 audio output (Mono)                                     |
| ▼ General                      |      |                                                           |
| Hard Disk Storage**            |      | 6TB SATA HDD x 2                                          |
| SATA Interface                 |      | YES                                                       |
| Image Quality Setting          |      | SUPER BEST / BEST / HIGH / NORMAL                         |
| USB Mouse Control              |      | YES                                                       |
| Motion Detection Area          |      | 16 × 12 grids per channel                                 |
| Motion Detection Sensitivity   |      | 3 adjustable parameters for accurate detection            |
| Event Notification             |      | Push Status / FTP / E-Mail                                |
| Picture Zoom                   |      | 2X digital zoom                                           |
| PTZ Control                    |      | YES                                                       |
| Alarm I/O                      |      | 4 inputs                                                  |
| IR Remote Control              |      | YES (IR receiver built-in)                                |
| Key Lock (Password Protection) |      | YES                                                       |
| User Level                     |      | 4 user levels for different access privilege              |
| Video Loss Detection           |      | YES                                                       |
| Camera Title                   |      | Supports up to 25 letters                                 |
| Video Adjustable               |      | Hue / Saturation / Contrast / Brightness                  |
| Date Display Format            |      | YY/MM/DD, DD/MM/YY & MM/DD/YY                             |
| Daylight Saving                |      | YES                                                       |
| Power Source (±10%)            |      | DC12V / 3A                                                |
| Operating Temperature          |      | 10°C ~ 40°C (50°F ~ 104°F)                                |
| Operating Humidity             |      | 10% ~ 85%                                                 |
| Dimensions (mm)***             |      | 345(W) x 68.3(H) x 225(D)                                 |
| Net Weight (kg)                |      | 2.17                                                      |

## ► SPECIFICATIONS

| ▼ Network                           |                                                                   |                                                 |
|-------------------------------------|-------------------------------------------------------------------|-------------------------------------------------|
| Ethernet                            | 10/100 Base-T. Supports remote control and live view via Ethernet |                                                 |
| Network Protocol                    | TCP/IP, PPPOE, DHCP and DDNS                                      |                                                 |
| ▼ Remote Surveillance from PC       |                                                                   |                                                 |
| Compatible Operating System         | Windows & MAC                                                     |                                                 |
| Compatible Program                  | Web Browser:                                                      | Internet Explorer, Google Chrome & Safari       |
|                                     | CMS Lite:                                                         | 24CH central management software for Windows OS |
|                                     | QuickTime:                                                        | For both Windows and MAC operating systems      |
| Max. online users                   | 20                                                                |                                                 |
| Web Transmitting Compression Format | H.264                                                             |                                                 |
| Network Live Audio                  | YES                                                               |                                                 |
| Remote Independent Operation        | YES                                                               |                                                 |
| Remote Event Download & Playback    | YES                                                               |                                                 |
| ▼ Mobile Surveillance               |                                                                   |                                                 |
| App                                 | EagleEyes                                                         |                                                 |
| Compatible Devices                  | iOS & Android devices                                             |                                                 |
| Push Status                         | YES                                                               |                                                 |
| ▼ Others                            |                                                                   |                                                 |
| EaZy Networking                     | YES                                                               |                                                 |
| DCCS Support                        | YES                                                               |                                                 |
| AVTECH Free DDNS service            | YES                                                               |                                                 |
| Privacy Mask                        | YES                                                               |                                                 |
| Multiplex Operation                 | Live display / record / playback / backup / network operations    |                                                 |
| System Recovery                     | System auto recovery after power failure                          |                                                 |
| Optional Peripherals                | HDMI Matrix (HDM02) / USB Joystick (AVX102)                       |                                                 |

\* The specifications are subject to change without notice.

\*\* Dimensional tolerance: ±5mm