



- CCIQ II** ▶ Challenge CCD Image Quality
 Hi Resolution up to 400 TV Lines.
 Compact size.
 Ultra-lightweight!
 Backlight compensation.
 High Quality Picture.
 High Performance.
 Outstanding Quality!
 Day & Night Lens

Unit : mm (± 0.5)

Specification

Model	MO-B3526G	MO-B3526-4F
Video system	NTSC / PAL	
Number of effective pixels	648 x 488	
Image sensor	1/4" CCIQ II Color Camera	
Resolution(TV Lines)	400 TV Lines	
S/N Ratio	more than 50dB	
Minimum illumination	0.1 LUX / F1.2	
Electronic shutter	60 fps.	
Horizontal sync frequency	NTSC(EIA) - 15.734kHz , PAL(CCIR) - 15.625kHz	
Vertical sync frequency	NTSC(EIA) - 60Hz , PAL(CCIR) - 50Hz	
Camera consumption	0.45	
Video output	1Vp-p , 75ohm composite	
Storage temperature	-30 to 60 Degree C	
Working temperature	-10 to 45 Degree C	
Built-in Lens	3.7 mm/F2.0	4.3 mm/F2.0
Power source	DC 5~12 V(Standard)	
Power current	50 mA	
Dimension (mm)	22 x 26 (mm)	



MO-B3526G



MO-B3526-4F

Ordering Information

MODEL	LENS	MIC.	TYPE	MODEL	LENS	MIC.	TYPE
MO-B3526-3C	3.7mm / F2.0	x	CONE	MO-B3526YA-3C	3.7mm / F2.0 Day & Night Lens	External	CONE
MO-B3526-4C	4.3mm / F2.0	x	CONE	MO-B3526YA-4C	4.3mm / F2.0 Day & Night Lens	External	CONE
MO-B3526-3F	3.7mm / F2.0	x	FLAT	MO-B3526YA-3F	3.7mm / F2.0 Day & Night Lens	External	FLAT
MO-B3526-4F	4.3mm / F2.0	x	FLAT	MO-B3526YA-4F	4.3mm / F2.0 Day & Night Lens	External	FLAT
MO-B3526-3T	3.1mm / F3.4	x	SLIM	MO-B3526YA-3T	3.1mm / F3.4 Day & Night Lens	External	SLIM
MO-B3526-4T	3.9mm / F3.9	x	SLIM	MO-B3526YA-4T	3.9mm / F3.9 Day & Night Lens	External	SLIM
MO-B3526G	3.6mm / F2.0	x	G-TYPE	MO-B3526GYA	3.6mm / F2.0 Day & Night Lens	External	G-TYPE

Note:

MO-B3526GYA A : External Mic. MO-B3526GYA Y : Day & Night Lens

Other information

N-1426G
1/4" Color CCD Camera



MO-N3531
1/4" Color CCIQ II Hidden Camera

